


8/2/2015

To: MAY

From: Joanne D. Curzie

Re: DEXA Scans

7/30/2013 + 8/1/2015



SJRA - Haddonfield
807 Haddon Ave, Suite 5
Haddonfield, NJ 08033-1749
(856) 616-1130

July 30, 2013

Marvin R. Hyett, M.D.
2021 New Road
Suite 10
Linwood, NJ 08221-1045

FAX: (609) 926-2308

RE: Joanne Curzie
118 Haines Mill Road

Delran, NJ 08075

PAT #: 82699600
TEL: (856) 461-1669
DOB: 11/30/1943
AGE: 69

DEXA SCAN: 07/30/13

HISTORY: History of osteoporosis for followup.

COMPARISON: Baseline examination on 2/12/02 and most recent comparison on 6/30/11.

TECHNIQUE: Bone mineral density (BMD) was performed on a Hologic Dual Energy absorptiometry (DXA) scanner.

FINDINGS:

LEFT FEMORAL NECK T-score: -3.5

LEFT TOTAL HIP T-score: -3.0

LUMBAR SPINE (L1-L4) T-score: -3.6

CONCLUSION: The BMD fulfills the WHO classification for OSTEOPOROSIS.

With respect to bone mineral density, as compared to the most recent prior study, there has been an 8.1% loss in the left hip and a 3.1 loss in the lumbar spine. Change in the left hip is statistically significant.

With respect to bone mineral density, as compared to the baseline study, there has been a 12.8% loss in the left hip and a 7.5% loss in the lumbar spine. Changes are statistically significant.

The patient's fracture risk is HIGH.


SOUTH JERSEY RADIOLOGY ASSOCIATES, P.A.

SJRA - Haddonfield
807 Haddon Ave, Suite 5
Haddonfield, NJ 08033-1749
(856) 616-1130

August 1, 2015

Marvin R. Hyett, M.D.
2021 New Road
Suite 10
Linwood, NJ 08221-1045

FAX: (609) 926-2308

RE: Joanne Curzie
118 Haines Mill Road

Delran, NJ 08075

PAT #: 82699600
TEL: (856) 461-1669
DOB: 11/30/1943
AGE: 71

DEXA SCAN: 07/31/15

Bone mineral density (BMD) was performed on a Hologic Dual Energy absorptiometry (DXA) scanner.

INDICATION: History of osteoporosis

LEFT FEMORAL NECK

T-score: -2.8

TOTAL LEFT HIP

T-score: -2.5

LUMBAR SPINE

T-score: -3.1

ASSESSMENT: The BMD fulfills the WHO classification for osteoporosis.

With respect to the bone mineral density as compared to the prior study dated July 2013, there has been a significant +10.8 % change in the hip and a significant +0.8 % change in the lumbar spine.

07/31/15

Joanne Curzie

Page 2 of 2

RECOMMENDATIONS: . Repeat BMD may be considered in one to two years.
Patients with cancer treatment induced bone loss may require yearly follow up.

The T-score compares the patient's bone mineral density to the peak bone mass of a young normal adult. The T-score is the most clinically relevant measure of BMD since it correlates closely with the patient's risk of fracture. The T-score is the number of standard deviations below the mean for a young normal adult.

| T-SCORE | RESULT |
|---------------|--------------|
| -1 or above | Normal |
| -1 to < -2.5 | Osteopenia |
| -2.5 or below | Osteoporosis |

DXP: 733.00

ENCL:

Very truly yours,

Evan T. Shack, M.D.

ES

cc: Frank Mazzotta, D.O.
1339 Porter St
Philadelphia, PA 19148

Electronically signed by Evan T. Shack, M.D. on 8/1/2015 10:17:53 AM